


# Fibreglass Platform Ladder

## Product Images





## Short Description

---

Heavy duty, stable fibreglass platform ladder. Load rated to 150kg, suitable for industrial worksites. Choose the required height from the options in the drop down below.

## Description

---

Fiberglass platform Ladders are designed to provide a self-supporting, stable and portable ladder. They are ideal for picking and packing situations, service and maintenance applications where a stable base is required whilst in use.

Fiberglass construction makes this ladder suitable for electrical work. Jaybro's range of platform ladders are non-adjustable - the platform is provided at the highest intended standing level. The ladders are hinged, creating a design allows for ease of storage. These ladders are intended for use by one person at a time.

ClimbMax platform ladders are made to Australian Standards for commercial and industrial use. Complies to Australian Standard AS/NZS 1892.3.

### Features:

- Industrial rated to 150kg
- Suitable for use on industrial work sites
- Complies to AS/NZS 1892.3
- Aluminium Safety Guard Rail - non-conductive
- Fibreglass construction - suitable for electrical work, 10KV insulation capacity
- Large metal platform measures 485 mm x 400 mm
- 900mm handrail height
- Slip resistant feet
- Fully fibreglass support braced
- Wide slip resistant steps
- Strong spreader with soft handle
- Easy to close
- Spacing between steps 305 mm
- 0.9m platform, overall height 1.8m, weighs 13.2kg
- 1.2m platform, overall height 2.1m, weighs 15.1kg
- 1.8m platform, overall height 2.7m, weighs 18.5kg

## Additional Information

CODE	47-09FPL-WP
U.O.M	Each
Colour	Yellow
Features	Aluminium Safety Guard Rail
Material	Fibreglass

## Product Options

Ladder Height:	0.9 m
	1.2 m
	1.8 m

