

Megapoxy 36 Gun Grade Road Marker Adhesive 600ml

Product Images





Short Description

Megapoxy 36 Gun Grade is a gunnable road marker adhesive. It is a two component epoxy composition for bonding ceramic and plastic reflective markers to bitumen and concrete surfaces.

Description

Megapoxy 36 Gun Grade is a gunnable road marker adhesive. It is a two component epoxy compositions for bonding ceramic and plastic reflective markers to bitumen and concrete surfaces. Megapoxy has a working

time of 3 min (at 23 °C) and reaches cohesive strength in 30mins. The advantage of the 600mL Dispensing Gun is the high efficiency and accuracy when applying to smaller objects. Also, the consistent mix at the correct ratio and minimal exposure of the product to the air means less waste product. Megapoxy 36 gun grade adhesive is a rapid setting formulation for use by hand mixing as well as machine dispensing. Megapoxy 36 conforms to all the requirements of RTA specification 3554 Adhesives for Raised Pavement Markers. Also approved by Transport SA.

Features:

- Easy to use, mixes at a ratio of 1:1 Part A resin to B hardener
- Size: 600ml twin tubes
- Ideal for fixing pavement markers
- 30 minutes cohesive strength time, achieving 1400kPa at 23 degrees Celcius
- Bond strength 7500 kPa to ceramic markers, 7600 kPa to reflective markers
- Slant shear load of 135 kN after 24 hour cure
- Approved to road authority specifications

APPLICATION

Mixing:

Mix 1 part resin to 1 part hardener by volume until it is a uniform colour.

Clean Up:

Before Megapoxy sets, rinse and flush equipment with Megapoxy Thinners.

Additional Information

CODE	40-MP36-600ML
U.O.M	Each
Colour	Grey
Suits Substrate	Bitumen, Concrete
Brand	Megapoxy
Size	600 ml
Appearance / Composition	Multi-Part Mixture
Gel Time / Skin Time	7 minutes at 23 degrees Celsius

