

MEA FLUID 100 GRP channel 127mm depth C/W 123mm Longitudinal ductile iron heelguard grate, class D, CLIPFIX

Product Images



Short Description

MEA FLUID 100 GRP channel 127mm depth C/W 123mm Longitudinal ductile iron heelguard grate, class D, CLIPFIX

Description

The MEA Fluid channel with Class D Ductile iron heelguard Clipfix grate is a versatile and durable solution for stormwater drainage. The 127mm deep channel is made from glass-reinforced polyester (GRP), which is a lightweight and strong material that is also recyclable. The Class D ductile iron heelguard grate provides i perfect for high trafficable area's, while the Clipfix system makes it easy to install and remove the grate. Features: Made from lightweight and durable GRP material Class D heelguard to AS3996-2019 Longitudinal heelguard for sleek finish Clipfix system for easy installation and removal Benefits: Easy to install and maintain Strong and durable Eco-friendly Versatile for a variety of applications Excellent value for money Applications: Streetscape projects Commercial carparks Industrial developments

Additional Information

CODE	A CD 4 5 04 24 1/2
CODE	ACP-150121K3
U.O.M	Each
Material	Glass Reinforced Plastic
Channel Depth	127mm
Channel Width	100mm
Range	Fluid
Channel Length	1000mm
Grate Safety	Heelguard
Load Rating	CLASS D
Locking Type	Clipfix
Grate Material	Ductile Iron
Channel Meterial	Glass Reinforced Plastic
Swatch	no_selection
Grate Material Channel Meterial	Ductile Iron Glass Reinforced Plastic

