

# Hydrocor Corkjoint - Type 3 - 100mm x 10mm x 1.5m

## Product Images

---



## Short Description

---

Hydrocor Corkjoint Type 3 is a range of self expanding cork filler used for forming and filling expansion and static joints.

## Description

---

Hydrocor Corkjoint Type 3 is a range of self expanding cork filler used for forming and filling expansion and static joints.

Hydrocor Corkjoint comprises a range of joint fillers made from cork granules bound together with insoluble, synthetic resin. Hydrocor Corkjoint expands when exposed to moisture and provides the necessary semi-rigid, void-free backing for elastomeric sealants subject to hydrostatic pressures.

Please note that custom size options are also available, configurable based on the following possible size options for each dimension. Thickness available: 10mm, 12mm, 15mm, 16mm, 20mm, 25mm, or 30mm. Depth must be between 50mm - 635mm. Lengths available: 930mm, 1200mm, 1500mm, 1800mm. Please use the Request a Quote form [here](#) or call us to organise a custom size.

## Typical Applications

Filling joints in concrete roads, bridges and car parks and other internal or external traffic areas

## Advantages

Supports sealants subject to hydrostatic pressure

Expands to fill joint

Will not extrude under pressure

Light weight and easy to handle

Resilient and waterproof

## Additional Information

---

CODE	40-FC750000-UNIT
U.O.M	Each
Weight	2
Swatch	/h/y/hydrocor_3.jpg.tmp

