

Sundstrom Gas Filter, A2 Organic Gases and Vapours

Product Images



Short Description

Organic vapour filter class A2 (high capacity), for use with Sundstrom half masks and full face masks. This filter is type A and provides protection against organic gases and vapours, such as solvents, with boiling points above 65 degrees Celsius. This Sundstrom gas filter can easily be combined with particle filter SR 510 P3 R in order to obtain protection also against aerosols (particles), e.g. during spray painting.

Description

The Sundstrom gas filter SR218, Class 2, is designed for use together with Sundström half masks and full face masks. The filter is type A and provides protection against organic gases and vapours, such as solvents, with boiling points > +65 °C. This Sundstrom gas filter can easily be combined with particle filter SR 510 P3 R in order to obtain protection also against aerosols (particles), e.g. during spray painting.

Protection against:

- A2 protection
- Type A protects against organic gases and vapours, such as solvents, with boiling points > +65 °C

Use with:

- Sundström half masks and full face masks

Features:

- Complies with AS/NZS 1716:2012
- Size: Largest diameter 106 mm, 36 mm thick
- Weight: 137g
- Carton Qty: 40

Additional Information

CODE	31-SD218
U.O.M	Each
Weight	0.137
Brand	Sundstrom
Filter Class	A2

