

strabaTEX™ Road Tape 250mm x 10m

Product Images



Short Description

Road Tape Bitumen 250mm x 10m, ideal for pavement joint sealing, basement waterproofing and concrete crack treatment.

Description

strabaTEX Road Tape is a non-woven polyester geotextile which is laminated onto a bitumen compound polymer. It is resistant to high temperatures allowing hot asphalt to be laid directly onto the product. strabaTEX Road Tape has exceptional adhesion to bitumen and concrete.

Its flexibility along with its self adhesive composite membrane, high tensile strength as well it's puncture and heat resistance define it as the best solution in treating road and bridges. It is used to treat cracking in road pavements and can also be used to seal concrete culvert joints.

Applications:

- Pavement joint sealing
- Basement waterproofing
- Concrete crack treatment

Specifications

Index Properties	Test method	Units	Values
Thickness	AS3706.1 (at 2kPa)	mm	2.2 (average)
Adhesion to Unprimed Concrete (18C)	ASTM D1000-04	N/mm	21.93 N/10mm
Adhesion to Unprimed Bitumen (18C)	ASTM D1000-04	N/mm	21.93 N/10mm
Wide Strip Tensile Strength	AS3706.2	kN/m	7.8
Wide Strip Tensile Elongation	AS3706.2	%	52
Puncture Strength (8mm diameter rod)	ASTM D4833	N	340 (minimum)
Application Temperature	ASTM D4833	deg C	+5 to +50

*Specifications as per manufacturer

Additional Information

CODE	RTB250-10
U.O.M	Roll
Colour	Black
Material	Polyester
Length	20 m
Width	250 mm

