

---

# Ace water suction hose kit, 3 metres x 200 mm ID / 8" ID

## Product Images

---



## Short Description

---

200 mm ID water suction hose. Sold as a 3m kit with Bauer couplers and stainless steel bandit clamps. Commonly used for water suction and delivery at pressures up to 150psi.

## Description

---

Ace water suction hose kit, 3m x 200 mm or 8" ID. Fitted with male and female galvanised Bauer couplers and stainless steel bandit clamps. Sold in a kit in a standard length of 3 metres, or alternatively Jaybro can supply a custom length of hose complete with fittings for your requirements.

Ace suction hose is specially designed for general water suction and delivery. It is highly flexible and suited to negative pressure water transfer applications. Jaybro's Acewater suction hose has a Safety Factor of 3:1 for diameters under 127mm. For diameters 152-254mm, the safety factor is 2.5:1.

With a temperature range of -30 degrees Celcius to +80 degrees Celcius, it is ideal for heavy duty water suction applications in construction, civil, sewerage, plumbing, drainage, landscaping, utilities and industrial industries.

Jaybro's Ace water suction hose is constructed from black EPDM, reinforced with high tensile textile cords with an embedded steel helix wire. The hose is covered in abrasion and ozone resistant EPDM, meaning it can stand up to the rigors of harsh weather, prolonged outdoor exposure and heavy duty use.

Jaybro keeps up to 95% of our product on the shelf and in stock so we can deliver to you, fast!

- 200 mm ID / 8" ID
- 221 mm OD
- Working temperature -30 degrees Celcius +80 degrees Celcius
- Rated to working pressure of 10 bar / 150 psi
- EPDM reinforced with high tensile cords and steel helix wire
- Suitable for bulk water delivery or suction at pressures up to 150 psi
- Fitted in-house with Bauer fittings.
- Contact us if you require different fittings such as Travis, Camlocks, Strainers and claw type fittings.

## Additional Information

---

CODE	ASHK-1604
U.O.M	Each
Weight	50
Hose Type	Water & general liquids
Material	EDM with high tensile textile cords with embedded steel helix wire reinforcement
Colour	Black
Dimensions	200 mm x 3m
Width	200 mm
End Style	Male & female Bauer couplers; stainless steel bandit clamps
Size	200 mm I.D
Size (O.D)	221 mm
Pressure (bar)	10
Pressure (psi)	150
Min Working Temp	-30 degrees Celcius
Max Working Temp	+80 degrees Celcius

