

# Husqvarna K970 Demolition Saw

## Product Images



## Short Description

Husqvarna K970 Demolition Saw (saw only, blades are sold separately). View our range of [demolition saw blades](#).

Sturdy, reliable, light and powerful - the K 970 power cutter is ready to perform when you are. The ultimate choice when you need an all-round cutter performing in the toughest conditions, withstanding climate and fuel variations.

## Description

---

Sturdy, reliable, light and powerful - the Husqvarna K970 power cutter is ready to perform when you are. The ultimate choice when you need an all-round cutter performing in the toughest conditions, withstanding climate and fuel variations.

The semi-automatic SmartTension minimises the risk of under- and over tensioning of the belt, and the sturdy and reliable design is less sensitive to outer conditions and fuel variations, thanks to the cylinder design and muffler with integrated heat deflector.

A strong Poly-V belt combined with our maintenance-free starter DuraStarter™ and efficient filter-system Active Air Filtration™ ensures long service intervals. The Husqvarna demolition saw is easy to start, due to the unique design of the carburettor, cylinder and digital ignition system, together with air purge and decompression valve.

This saw offers less slurry and low water consumption, plus excellent dust control with the wet cutting kit. A progressive water valve for exact adjustment of the water volume to efficiently bind the dust and reduce slurry.

### Features:

- Less slurry and low water consumption
- Magnesium blade guard
- Light and powerful
- Easy to change blade guard position
- Fits multiple blade bushings
- Maintenance-free air filter
- High power with less fuel
- Reduced wear
- Blade retarder
- Maintenance-free starter
- Less emissions and fuel consumption
- Cuts close to walls or ground
- Active Air Filtration™ Anti-vibration system
- DuraStarter™ EasyStart
- Poly-V belt
- Reversible cutting arm
- SmartCarb™
- Wet cutting kit

### Specifications:

- Max cutting depth 155mm
- Max blade diameter 400 mm
- Max arbor diameter 25.4 mm
- Max blade thickness 5 mm
- Max peripheral speed 90 m/s
- Weighs 11.6kg
- Output power 4.8 kW, cylinder displacement 93.6 cm<sup>3</sup>
- Exhaust emissions (CO<sub>2</sub> EU V)736 g/kWh
- Sound power level, guaranteed (LWA)115 dB(A)
- Vibrations left/front handle3.5 m/s<sup>2</sup>
- Vibrations right/rear handle4 m/s<sup>2</sup>

- Euro Test Certificate SEC/10/2286  
Specifications for 400mm blade diameter version, 350mm also available.

## Additional Information

---

CODE	41-K970
U.O.M	Each
Power Rating	4.8kW
Includes	Blades are not included
Brand	Husqvarna

