



mastaTEX™ Non-Woven Geofabric Geotextiles

Product Images






SEPARATION / STABILISATION



SUB-SOIL DRAINAGE



BEHIND RETAINING WALLS



Short Description

Jaybro's range of GEOmasta Non-Woven Geofabric geotextiles are available in Grade A - H in widths from 2m to 6m in roll lengths from 50m to 250m. Select a type and width from the dropdown boxes below.

Description

mastaTEX™ Non-Woven is a continuous filament geotextile made from highly durable virgin polyester fibres, which are resistant to all naturally occurring soil acids and alkalis. The textile is formed through needle punching in order to produce a product suitable for use in road & rail work, separation, drainage, protection and filtration works.

mastaTEX™ Non-Woven geotextiles are manufactured to ISO 9001 quality assurance procedures. Properties of mastaTEX™ Non-Woven geotextiles are derived from in house and independent laboratory testing.

Applications:

- Pavement Stabilisation
- Subgrade/Subsoil Separation
- Slope Stabilisation
- Liner protection

Additional Information

| | |
|---------------|-------------|
| CODE | PF-WP |
| U.O.M | Roll |
| Brand | GEOmasta |
| Range / Model | mastaTEX |
| Material | Geo-Textile |

Product Options

| | |
|--------|---------|
| Type: | Grade A |
| | Grade B |
| | Grade C |
| | Grade D |
| | Grade E |
| | Grade H |
| Width: | 3 m |
| | 4 m |
| | 6 m |

