

Aftek Curecon PW Smartwax Curing Compound 1000 L

Product Images



Short Description

1000 L Curecon PW Smartwax is a fast drying, shower resistant Class A water-based wax curing compound. It can be used on all concrete however is specifically designed for mass concrete such as bridges, roads, civil construction and runways. It is supplied as a pink liquid that dries clear in 15-20 minutes.

Description

Curecon PW is a Class A water based wax curing compound used to retain moisture in concrete for effective curing. Used for all concrete but specifically designed for use in mass concrete structures such as roadwork, bridgework, civil construction and runways. Curecon PW Smartwax dries rapidly and becomes resistant to wash off in about 15 minutes after application.

Features:

- Non-flammable; non toxic
- Rapid film formation
- Shower resistant at 15 minutes
- Reduces surface shrinkage and cracking by eliminating moisture loss from exposed surfaces
- Low VOC formula
- Meets Green Star rating – complies with Office Design V3 – IEQ13
- Eliminates the need for sand, damp hessian or polythene
- Increases concrete strength and dusting resistance

Ideal for:

- Effective curing of all concrete
- Specifically designed for use in mass concrete structures such as roadwork, bridgework, civil construction and runways

APPLICATION

Surface Preparation:

Curecon PW should be evenly sprayed onto the surface over the freshly laid concrete as soon as possible after final trowelling. Note Curecon PW is not compatible with many hydrocarbon solvent based primers, water based coatings, tile and flooring adhesives and is NOT suitable for use on concrete roads which will be subject to line marking.

Mixing:

Use Curecon PW as supplied – do not dilute. If the product has been stored for more than 6 months, particular care should be taken to ensure the product is thoroughly mixed before use.

Placement:

Ideally Curecon PW should be applied as soon as the surface bleed water has evaporated. In all cases Curecon PW should be applied at a coverage rate not greater than 5m² per litre.

Clean Up:

Clean immediately after use with water. Dried Curecon PW may be softened with solvent preparations such as Solvent 525.

Storage:

Store in the original unopened containers in cool, dry conditions. Use within 12 months of date of manufacture.

Yield:

5 square metres per litre (0.2 litres / m²) using a spray applicator. Do not brush.

Additional Information

CODE	40-CCSW1000
U.O.M	Each
Colour	Pink
Brand	Aftek
Range / Model	Curecon
Size	1000 L
Appearance / Composition	Liquid
Cure Time	Shower resistant at 15 minutes
Yield	5m ² per litre (0.2litres/m ²) using a spray applicator
VOC Content (Volatile Organic Compounds)	Low VOC
Class	Class A

