

Hydrotite Rubber Waterstop 7mm x 25mm x 10m

Product Images





Short Description

7mmx25mmx10mm Hydrotite hydrophilic chloroprene rubber waterstop. This premium grade, water-swellaible water stop has excellent adhesion to concrete surfaces and a self adhesive backing for easy application.

Description

7mmx25mmx10mm. Areas of application include sewerage treatment plants, water treatment plants, reservoirs, water tanks, swimming pools, tunnels, subway stations, basements, pits, pipe penetrations.

Advantages

- Easy to handle and install
- Excellent adhesion to concrete surfaces
- Outstanding physical properties
- Profiles with self-adhesive backing allow for simple and fast installation processes
- Co-extruded design means expansion is directed across the joint for maximum seal
- Unaffected by repeated wet and dry cycles
- No site welding is required for joining processes
- Has a delay coating to help prevent premature expansion
- Extra delay coating is available for very wet conditions, if required
- Changes colour as a visual alert to let you know it has expanded
- No need for special intersections, joining is by simple butt joints
- Can be applied to rough surfaces using leakmaster gun grade waterstop
- Can be joined to traditional PVC waterstop
- No compaction or displacement problems
- Non toxic and non hazardous.

Areas of Application

- Sewerage Treatment Plants
- Water Treatment Plants
- Reservoirs
- Water Tanks
- Swimming Pools
- Tunnels
- Subway Stations
- Basements
- Pits
- Pipe Penetrations

Additional Information

CODE	40-CJ0725-3K
U.O.M	Each
Material	Rubber

