
Ace water suction hose, 50 mm ID / 2" ID. Sold in custom lengths by the metre.

Product Images



Short Description

50 mm ID water suction hose. Sold by the metre, standard length coils also available in 20m and 30m. Commonly used for water suction and delivery at pressures up to 150psi.

Description

Ace water suction hose, 50 mm ID / 2" ID. Sold by the metre in continuous lengths up to 20 metres. Standard coil lengths are 20 or 30 metres, or alternatively Jaybro can supply a custom length of hose complete with fittings for your requirements.

Ace water hose is specially designed for general water suction and delivery. Jaybro's Acewater hose has a

Safety Factor of 3:1, meaning that the burst pressure is three times the operating pressure of this hose.

With a temperature range of -30 degrees Celcius to +80 degrees Celcius, it is ideal for heavy duty water suction applications in construction, civil, sewerage, plumbing, drainage, landscaping, utilities and industrial industries.

Jaybro's Acewater suction hose is constructed from black EPDM, reinforced with high tensile textile cords with an embedded steel helix wire. The hose is covered in abrasion and ozone resistant EPDM, meaning it can stand up to the rigors of harsh weather, prolonged outdoor exposure and heavy duty use.

Plus, you can personalise your hose to suit your particular project: Jaybro stocks a wide range of hose fitting and clamps including Camlock, Bauer, Travis and Strainers claw type fittings to suit your specific needs. We can fit any hoesetail kit you require.

Jaybro keeps up to 95% of our product on the shelf and in stock so we can deliver to you, fast!

- 50 mm ID / 2" ID
- 61 mm OD
- Working temperature -30 degrees Celcius +80 degrees Celcius
- Rated to working pressure of 10 bar / 150 psi
- EPDM reinforced with high tensile cords and steel helix wire
- Suitable for bulk water delivery or suction at pressures up to 150 psi
- Hose without fittings weighs 1.24kg per metre

Additional Information

CODE	WU-HS-1803M
U.O.M	Linear Metre
Hose Type	Water & general liquids
Material	EDM with high tensile textile cords with embedded steel helix wire reinforcement
Colour	Black
Size	50 mm I.D
Size (O.D)	61 mm
Pressure (bar)	10
Pressure (psi)	150
Min Working Temp	-30 degrees Celcius
Max Working Temp	+80 degrees Celcius
Bend Radius	204mm

