

---

# Black rubber layflat hose, 250 mm ID / 10" ID. Sold in custom lengths by the metre.

## Product Images

---



## Short Description

---

250 mm ID lay flat hose. Sold by the metre - enter the number of meters required e.g. 15m = 15 to purchase. Standard length coils also available in 20m or 100m. Suitable for general discharge and transfer of water, chemicals and fluids in construction and mining applications.

## Description

---

Black Layflat Hose, 250 mm or 10" ID. Sold by the metre in continuous lengths up to 100 metres. Standard lengths are 20 metres and 100 metres, or Jaybro can supply a custom length of hose complete with fittings

for your requirements.

Suitable for general discharge of water in heavy agriculture and industrial applications.

Jaybro's black layflat hose has a Safety Factor of 3:1, meaning that the burst pressure is three times the operating pressure of this hose. With a temperature range of -10 degrees Celcius to +80 degrees Celcius, it is ideal for heavy duty washdown, watering and dewatering in agriculture applications and for general industrial processes. Ideal for when water needs to be moved to considerably higher or lower elevations.

Jaybro's layflat hose is constructed from black synthetic rubber with a polyester-polyamide textile filament and can stand up to the rigors of harsh weather, prolonged exposure to full sun, and low temperature fluid transfer. When under pressure, lay flat hoses adopt a tubular appearance, but when hoses are discharged they return to a flat profile therefore allowing for easy transport and handling. Layflat hoses are easy to pack away when not in use, saving valuable storage space.

Additionally, hoses do not require drying time. They can be rolled up for transportation and storage immediately after use due to their rugged construction.

Plus, you can personalise your hose to suit your particular project: Jaybro stocks a wide range of hose fitting and clamps including Camlock, Bauer, Travis and Strainers claw type fittings to suit your specific needs. We can fit any hoesetail kit you require.

Jaybro keeps up to 95% of our product on the shelf and in stock so we can deliver to you, fast!

- 250 mm ID / 10" ID
- 257 mm OD
- Wall thickness 3.5 mm
- Working temperature -10 degrees Celcius +80 degrees Celcius
- Rated to working pressure of 8 bar / 120 psi
- Black rubber construction
- Suitable for fluid delivery or discharge
- Hose without fittings weighs 2.8kg per metre

## Additional Information

---

CODE	WU-HS-6206M
U.O.M	Linear Metre
Hose Type	Water & general liquids
Material	Rubber
Colour	Black
Size	250 mm I.D
Size (O.D)	257 mm
Pressure (bar)	8
Pressure (psi)	120
Min Working Temp	-10 degrees Celcius
Max Working Temp	+80 degrees Celcius
Wall Thickness (mm)	3.5

