
Reflective Kerb Ramp 150mm High Middle Section

Product Images





Short Description

Rubber Kerb Section - 600 x 360 x 150mm. This reflective kerb ramp works with the smaller end sections to create a neat kerb ramp. Features yellow triangular reflectors for high visibility. **Please note this kerb ramp requires Powers Blue Tip Screw Bolts for installation - see code 40-PBT1080-PWR.**

Description

Reflective Kerb Ramp 150 mm high modular section. Kerb ramps grant safe access for vehicles and wheeled

devices over road side kerbs. Recommended for use on civil and construction work sites.

Manufactured from durable recycled rubber materials. Effective on and around work sites for providing passageway for trolleys and wheelbarrows. Reduce trip hazards by installing where traffic is heavy during road works.

Jaybro's range of rubber kerb ramps are highly visible, further reducing trip hazards. The hi-vis nature of our ramps ensures vehicle operators can identify them on the kerb side.

The design of the ramp ensure vehicles and other devices can engage the ramp from any angle - without damage. The rounded edges and minimal incline shape allows for easy access.

Sold in modular section with separate ends allows for installation of longer sections. Able to be installed with an offset from the gutter, allowing for a water / drainage channel. These rubber kerb ramps can be installed using asphalt pins or bolts for both concrete and asphalt pavement applications. Weight capacity - maximum 15 tons. Unit weighs 16kg.

Features:

- 150mm high ramp
- Black recycled rubber with yellow PMT grade reflectors
- 3.0Mpa tensile strength
- A85 hardness
- Unit weighs 16kg
- Measures 600mm long x 300mm wide x 150mm high

Additional Information

CODE	49-RKR150
U.O.M	Each
Weight	15

