

# Aftek PenaFlow LA Grout, 20Kg Bag

## Product Images



## Short Description

---

Aftek PenaFlow LA is a Class C grout designed for large areas and thicknesses up to 600mm deep in a single application. Supplied as a 20 kg bag, can be mixed as a flowable grout or fluid grout.

*Clearance item - while stocks last!*

## Description

---

High performance Class C micro-concrete designed for grouting large areas with no shrinking or cracking. Penatech LA is capable of grouting thicknesses up to 600mm deep in a single application.

It conforms and complies with the requirements of ASTM C1107-91 and CRD-C621-82A (type C grout). Dual expansion compensates for shrinkage in the plastic and hardened state. Large volume grouting up to 600mm deep.

**Recommended Uses:**

- Suitable for bridge bearing soffits and grouting requiring high ultimate strength applications subject to dynamic loads
- Low exotherm reduces cracking and shrinkage

**Features**

- Dual expansion compensates for shrinkage in the plastic and hardened state
- Excellent flow retention, for large application thicknesses
- Ready to use, pre-mixed, and requires only the addition of water
- Can be mixed flowable or fluid
- No metallic content to cause staining

## Additional Information

---

CODE	40-AFPTLAG
U.O.M	Each
Brand	Aftek
Size	20 kg
Appearance / Composition	Powder
Class	Class C

