

# 3M 6038 Filter P2P3\* Nuisance Organic Vapour & Acid Gases, Solid Case Style

## Product Images



## Short Description

---

P2/P3 Filter with Nuisance level organic vapour and acid gases. Note P3 protection can only be achieved when used in conjunction with a full face mask. This filter is housed in a solid plastic case for demanding applications. Supplied as a pair.

## Description

---

The 3M P2/P3(HF) respirator filter is suitable for use with 3M 6000/7500 Series Half Face Respirators and 3M 6000/7000 Series Full Face Respirators. This cartridge is ideal for people working with hydrogen fluoride and creating toxic particulates - applications include working in certain chemical and fertiliser plants. It is ideal if requiring a protective casing to deflect sparks, splashes or to wipe down. Note P3 protection can only be achieved if using with a full face mask.

This filter protects against Acid Gas, Hydrogen Fluoride, Hydrogen Fluoride Gas up to 30 ppm and relief from nuisance level, Organic Vapor, Ozone, organic vapours and acid gases below TLV, Solid and liquid particles. This particulate filter is housed in a solid plastic case for rough applications.

Features a 3M Bayonet Connection System ensuring precise and secure locking.

### Protection against:

- P2/P3 protection
- Acid Gas, Hydrogen Fluoride, Hydrogen Fluoride Gas up to 30 ppm and relief from nuisance level, Organic Vapor, Ozone, organic vapours and acid gases below TLV
- Solid and liquid particles

### Use with:

- 3M 6000/7500 Series Half Face Respirator
- 3M 6000/7000 Series Full Face Respirator

### Features:

- Complies with AS/NZS 1716:2012
- Solid top design reduces the chance of premature caking, clogging, or soiling with dirt, grime, water or dust
- Protective casing aids decontamination practices
- Temperature resistant cover protects filter media from heat, sparks or physical damage
- Patented bonded web technology has more surface area than many standard filters which helps lower breathing resistance making it more comfortable to use
- 3M Bayonet Connection System ensures precise and secure locking
- Low profile and well balanced twin filter design

The 3M™ Cartridge Filters 6000 Series attach to 3M™ Half and Full Face Respirators to provide gas and vapour protection. The 3M™ Particulate Disc Filters 2000 series attach to the 3M™ Half and Full Face Respirators to provide particulate protection. Cartridges & Filters are tested to AS/NZS 1716.

The 3M™ Cartridge Filters 6000 Series attach to 3M™ Half and Full Face Respirators to provide gas and vapour protection. They are lightweight, well balanced when fitted to a mask, provide excellent field of vision as a result of the unique trapezoidal shape and the 3M™ Bayonet Fixing System ensures precise and secure locking. You can also attach 3M Dust/Mist Filter 5125 to your cartridges with the 3M Filter Retainer 501 to add particulate protection. The 3M™ Particulate Disc Filters 2000 series attach to the 3M™ Half and Full Face Respirators to provide particulate protection. They are lightweight, low breathing resistance, give excellent

field of vision and the 3M™ Bayonet Fixing System ensures precise and secure locking.

## Additional Information

---

CODE	RP3M6038
U.O.M	Pair
Brand	3M
Filter Class	P2 P3 HF

