

Hoppt Petrol Power Drive Unit

Product Images



Short Description

Hoppt petrol power drive unit, 3000rpm, 4.1k.w power output. For use with concrete vibrator shaft or 2" flex pump, available separately. **NOT AVAILABLE IN WA.**

Description

Hoppt Petrol powered drive unit, ideal for applications such as concrete vibrators or pumps. Spring mounts provide vibration isolation for the unit, driven by a high quality Honda Gx 160 petrol engine. With 4.1kW of power output, the Hoppt Petrol powered drive unit has a 163cc capacity and 3000rpm motor. Available separately are concrete vibrator shafts and 2" flex pumps. A rigid square tubular steel frame protects the drive unit.

AVAILABLE SEPARATELY:

Concrete Vibrator Shaft:

- Head diameter 40mm
- 6 metre flexible shaft length
- 12000 p/min vibrations
- Effective compaction diameter 800mm, depending on concrete consistency
- Shaft weighs 18kg

2" Flex Pump:

- Self-priming
- Choke resistant
- Stainless Steel spindle
- No suction hose required
- Quick action flexshaft coupling with a 2 tooth dog drive
- Can be used with diesel, electrical or pneumatic drive units
- 12 month warranty
- 1050 ltr/min
- 32 mm head
- 6 metre flex cable
- Up to 28 mm solids

Additional Information

CODE	41-PDV
U.O.M	Each
Weight	26
Engine Type	Petrol 163cc
Engine Specifications	Honda GX 160
Power Rating	4.1kW
Brand	Hoppt

