


Gas Bottle Storage Cage - Small

Product Images



Short Description

Gas Bottle Storage Cage - Small - 1080 x 760 x 1285mm

Description

The small gas bottle storage cage has been designed primarily as a secure storage unit for building sites and mines. The lockable gate, mesh sides and galvanised roof sheeting ensure security for gas bottles and other site gear. Forklift provision under the cage along with stacking lugs underneath for transport means it is easy to pick up with a forklift and move on site, or transport between sites. The bolted centre shelf and vertical supports can be excluded during construction for storage of up to 6 x forklift gas cylinders. This storage cage is also suitable for other uses where easy access and excellent security is necessary.

Gas cylinder cages are an important safety and security measure on building sites, and it is a requirement on construction sites that if you need to move gas bottles using a forklift or crane, they must be in a cylinder storage cage. This small gas cylinder cage is easily moved by crane or forklift for safe transport.

The heavy duty steel forklift-ready cage weighs 160kg and the sheet metal shelves allow for easily sliding bottles to the back of the cage. The standard finish on the cage is zinc plated for corrosion resistance.

Features:

- Working Load Limit (WLL): 250kg
- Unit Weight: 106kg
- Measures 1080 mm wide x 760 deep x 1285mm high
- Capacity to fit 12 x 9kg BBQ size gas bottles when using the shelf, or 6 x 18kg forklift gas bottles with the shelf removed
- Shelf Space: 540mm
- Zinc plated with galvanized sheet metal top panel for weather resistance
- Tamper-proof lock guard prevents cutting of the padlock by bolt cutters
- Tamper-proof gate hinges
- Strong mesh sides for easily viewing the contents of the cage, fitted with bump rails on the mesh
- Raised base design keeps bottles up off the floor and allows for forklifting
- Top stacking lugs fit into feet when storing or transporting multiple cages at once - Stack up to 3 high when empty, and 2 high when fully loaded

Additional Information

CODE	64-GSBCT1212
U.O.M	Each
Finish	Zinc plated

