

# Ace Water Suction Hose, (Custom Lengths)

#### **Product Images**



## **Short Description**

Ace Water suction hose. Sold by the metre - enter the number of meters required e.g. 10m = 10 to purchase. Standard length coils are also available in up to 30m rolls. Commonly used for water suction and delivery at pressures up to 150psi (10 bar). This product is available in dimensions from 1" up to 8" with a working temp of between -30 to +80c.

Choose a size from the dropdown menu for more details.

#### **Description**

Jaybro's ACE water hose is designed and manufactured for general water suction and delivery. This product has a Safety Factor of 3:1. Meaning, that the burst pressure of the ACE water hose is three times its operating pressure. This hose has a working temperature range from -30 degrees Celsius to a blistering +80 degrees Celsius.

Recommended for heavy duty water suction applications. This product is ideal for use in construction and civil environments. For sewerage, plumbing, drainage, landscaping, utilities and industrial industries.

Ace water suction hose is manufactured from black EPDM. This product is reinforced with a high tensile textile cord, with an embedded steel helix wire.

This hose is fully covered in abrasion and ozone resistant EPDM. What does this mean? it means that the Ace water hose can stand up to the rigours of harsh weather, prolonged outdoor exposure and heavy duty use.

- General water suction and delivery
- Tube: Black EPDM
- Reinforcing: High Tensile Textile Cords with Embedded Steel Helix Wire
- Cover: Black EPDM Abrasion and Ozone Resistant
- Temperature: -15°C +60°C
- Highly flexibleSafety Factor: 3:1

#### **Additional Information**

CODE	WU-HS-18WP
U.O.M	Linear Metre
Hose Type	Water & general liquids
Material	EDM with high tensile textile cords with embedded steel helix wire reinforcement
Colour	Black

### **Product Options**

Size:	50 mm I.D
	65 mm I.D
	75 mm I.D
	100 mm I.D
	150 mm I.D
	200 mm I.D

