




FRC Fire Retardant Containment Mesh Gen 2, Black, 1.85 x 10m





Short Description

Black FRC Mesh measures 1.85 wide x 10m roll. With a flammability Index of 2 it provides excellent fire resistance. Fire retardant containment mesh is a unique design and patented fire-retardant containment system used to enclose scaffolding from the inside. This black scaffold netting is also available in blue.

Description

Fire retardant containment mesh is a unique design and patented fire retardant containment system used to enclose scaffolding from the inside. It is used to prevent falling objects and provide safety for workers using the scaffold at height.

This black FR scaffold mesh has been extensively tested against similar products on the market and has shown to be stronger and lighter.

As opposed to the original Gen 1 product which has a flammability index of 8, this new and improved FRC mesh Gen 2 has a significant decrease with a flammability index of 2. Flammability index is measured on a

scale of 0 to 100 with 0 being the least hazardous. Therefore this product's flammability index of 2 gives it an excellent flame resistance.

- Fire retardant containment system 1.85 metres x 10m roll
- Roll diameter 250mm
- Roll weighs 17kg
- Significant saving in labour installation and dismantle times
- Wire is eliminated completely with no wire tangles or potential lacerations
- Reduction of trip hazards
- Decreased product weight compared to traditional chain and shade systems
- Highly durable
- Can be re-used multiple times (Prior to re-use, all FRC-Mesh Rolls to be checked for structural integrity)
- Easy to use
- Can be cut and shaped easily
- Indicative colour - blue stripe on black mesh

INSTALLATION

- Mesh and shade cloth must be tied at the appropriate intervals
- Mesh to be fixed with poly-banding facing outside, shade cloth facing inside
- Full Height mesh (25x25) – requires ties at each floor and at every 3rd standard
- Full Height Mesh and Shade cloth – requires ties at each floor and at every standard
- Shade cloth fixed at the top ledgers by zip ties at Maximum 1.5m centres
- Shade cloth fixed to mid rail ledgers by KwikAZ Clips to 1.5m centres (up to 200N or 20Kg deadweight)
- Shade cloth fixed at the bottom to Toe Boards using zip ties at Maximum 1.5m centres

STORAGE AND HANDLING

- FRC-Mesh is to be cleaned of all contaminants prior to re-rolling for storage
- FRC-Mesh should be stored out of direct sunlight where possible
- FRC-Mesh should be re-rolled for re-use with original tube insert
- FRC-Mesh is not to be stored flat, creased or squashed
- Prior to re-use, all FRC-Mesh Rolls to be checked for structural integrity

Additional Information

CODE	40-DFRC2-0010-185BLK
U.O.M	Each
Colour	Black
Style	Fire Retardant

