

# Bosch Rotary Hammer with SDS Max GBH 5-40 DCE

## Product Images





## Short Description

---

Bosch rotary hammer with SDS Max GBH 5-40 DCE, professional hammer for is ideal for civil and construction applications. Bosch's SDS Max rotary hammer is a professional tool that provides comfortable handling in heavy duty applications. It delivers vibration control combined with a lightweight design for effortless work in time-sensitive applications.

## Description

---

Bosch's SDS max rotary hammer is a professional tool that provides comfortable handling in heavy duty applications. Delivering vibration control combined with a lightweight design for effortless work in commercial applications.

This SDS max hammer drill is manufactured with durable robust metal components and an optimised lubrication system. A powerful motor enables the delivery of 8.8 J of impact energy for fast drilling and high removal rate. The GBH 5-40 DCE Professional is uniquely designed within Bosch's SDS max corded rotary hammer category for comfortable handling and reduced user fatigue in extensive applications. Its vibration control and lightweight design enable effortless and continuous work in time-intensive tasks. The rotary hammer is also built for durability, featuring robust metal components and an optimised lubrication system. Its strong motor enables the delivery of 8.8 J of impact energy for a fast drilling progress and high material removal rate.

This tool is intended for drilling up to 40 mm in diameter and light chiselling work in concrete and stone. It is compatible with various dust attachments. The GBH 5-40 DCE Professional also features Constant Speed, Rotation Control Clutch, and Speed Selection.

### Features:

- Suitable for heavy duty applications
- Vibration Control
- Rotation Control Clutch
- Constant Speed
- Turbo Power
- SDS MAX
- Speed Selection

- For drilling 12 - 40 mm in diameter
- 1150W rated input power

**Specifications:**

- Rated input power: 1.150 W
- Impact energy: 8.8 J
- Impact rate at rated speed: 1.500 – 3.050 bpm
- Rated speed: 170 – 340 rpm
- Weight: 6.8 kg
- Tool dimensions (length): 485 mm
- Tool dimensions (height): 260 mm
- Tool holder: SDS max
- Packaging dimensions (width x length x height): 410 x 620 x 150 mm
- Voltage, electrical: 240 V
- Drilling dia. concrete, hammer drill bits: 12 – 40 mm
- Opt. appl. range concrete, hammer drill bits: 18 – 32 mm
- Drilling dia. concrete, breakthrough drill bits: 45 – 55 mm
- Drilling diameter in concrete with core cutters: 40 – 90 mm

**Additional Information**

CODE	41-0611264040
U.O.M	Each
Features	SDS Max Chuck   Turbo Power   Vibration Control
Engine Type	Electric
Power Rating	1150 W
Package Quantity	1
Brand	Bosch
Overall Height	260 mm
Cord Type	Corded
Chuck Type	SDS MAX

