


# Milwaukee M18™ 3000 Lumen LED Stand Light/Charger, Skin Only

# **Product Images**







# **Short Description**

Milwaukee 3000 Lumens LED Tower Light. This light can also be plugged into the wall and used to charge Milwaukee M18 lithium-ion batteries. Light sold as tool only, battery and charger available separately.

# **Description**

The Milwaukee® M18™ LED Stand Light/Charger is designed to deliver a lighting solution that survives professional use unlike any other portable work light. The 3000 lumen light can be set up in seconds to a max height of 2.1m, and collapses to less than 1.2m for easy transport and storage.

The light head can be extended to light overhead work or minimise shadows when casting light downward. The multidirectional light head gives users the ability to orient the three independently pivoting light heads to cast light in several directions.

With an integrated AC cord, a user can plug in the light in an AC socket and charge any M18 REDLITHIUM-ION™ pack. Delivering 3,000 lumens, it fills up large areas with TRUEVIEW™ High Definition light. For optimised control over the output and run-time, the M18™ ROCKET™ LED Light has three settings: high provides 3,000 lumens at 2+ hours, medium provides 1,700 lumens at 4+ hours, and low provides 900 lumens at 8 hours with a M18 REDLITHIUM-ION™ 5.0Ah Battery Pack (not included).

### **Features:**

- Dual powered: M18™ battery pack and AC corded
- Sets up in 5 seconds
- 2.1m max extension
- Three independent light heads
- Three light output modes high, medium and low
- Impact resistant reinforced legs

## **Specifications:**

- Model Number M18HSAL-0
- Voltage 18V
- Length 1,200mm (retracted)
- Weighs 8.1kg
- 3,000 lumens

### Included:

- (1) M18™ LED Stand Light/Charger, Skin Only (M18HSAL-0)
- Battery and Charger Sold Separately

# **Additional Information**

CODE	41-M18HSAL-0
U.O.M	Each
Brand	Milwaukee
Range / Model	M18
Cord Type	Dual Powered - Cord or Battery
Voltage Rating	18 V

