

---

# Gorilla Aluminium Single Builders Ladder

## Product Images

---





## Short Description

---

Gorilla ladder, single builder style. Choose your ladder height from 8 ft to 20 ft or 2.4 metres to 6.1 metres, using the dropdown box below. Aluminium 'D' Style rung ladder fits securely into scaffold coupler.

## Description

---

High quality Gorilla brand aluminium ladder. Wide range of heights available, from 2.4 metres to 6.1 metres. These industrial ladders feature strong roll-locked D-rungs with a non slip finish. The rubber non marking feet add extra grip. This builders ladder fits secured into scaffold couplers. The roll locked D-Shaped rungs on this industrial ladder adds strength and durability. Anti-slip treads minimise slipping.

Gorilla ladders are made for Australian conditions, using the highest quality components available, and made under ISO9001:2000 certification. Research and development is undertaken in Australia, with all ladder designs independently type tested to Australian and New Zealand standards. Continuous batch testing reinforces Gorilla's commitment to providing a safe and consistent product.

### Features:

- 140kg Industrial strength weight limit
- Strong Roll-Locked D-Rungs
- Non-slip
- Non-marking feet
- Fits securely into scaffold coupler
- Fixed ladder heights from 2.4 metres up to 6.1 metres, or 8ft to 20ft
- 2.4m / 8ft ladder weighs 5.7kg
- 2.7m / 9ft ladder weighs 6.4kg
- 3.0m / 10ft ladder weighs 7.4kg
- 3.7m / 12ft ladder weighs 8.3kg
- 4.3m / 14ft ladder weighs 9.9kg
- 4.6m / 15ft ladder weighs 10.2kg
- 4.9m / 16ft ladder weighs 11.6kg
- 6.1m / 20ft ladder weighs 13.4kg

## Additional Information

---

CODE	40-SBL0-WP
U.O.M	Each
Style	Aluminium 'D' rung
Features	Fits securely into scaffold coupler
Finish	Anti-slip
Material	Aluminium

## Product Options

---

Ladder Height:	2.7 m
	2.4 m
	3.7 m
	3.0 m
	4.9 m
	4.6 m
	4.3 m
	6.1 m

