

RT-40A Rebar Tying Machine

Product Images



Short Description

RapidTool rebar tier has the ability to tie steel in 0.6 seconds flat. Powered by a Li-ION 18V – 4.0Ah with quick bar release, shorter tie height and slim arm for tight ties.

Description

Are you a concreting contractor looking for ways to improve your productivity or the efficiency of your team? If you are involved in the installation of rebar, reo or steel rod, the RT-40 could provide cost savings by enabling you to rapidly install tie wire.

The installation of rebar can be a back breaking task. Construction contractors often spend hours bent down, moving from one joint to another, tying rebar in place with tie wire.

Extremely time-consuming tasks can be made less labour intensive with the RapidRool RT-40.

Features

- Slim line and convenient design that provides is manoeuvreability even in the tightest of work spaces.
- Lightweight design, weighing just 2.6kg.
- Tie Diameter Range of 12-40mm, providing the ability to tie two 20mm rebars together.
- Delivers 3 wraps of the steel wire per tie for a tight finish.
- Holds up to 95m of tie wire, that can deliver as many as 120 ties.
- Battery charge time of just 90 minutes, with up to 4500 ties per battery cycle.

Specifications

- Brand: RapidTool
- Model: RT-40A
- Dimensions: 297 x 109 x 300 mm
- Net Weight: 2.6kg
- Tie Diameter Range: 12-40 mm
- Wraps Per Tie: 3 Wraps
- Length of Tie Wire Coil: 95m
- Ties Per Tie Wire Coil: Approx 120 Ties
- Battery Capacity: LI-ION 18V 4.0Ah
- Battery Charge Time: 90 minutes
- Battery Charger Input: 100-240V AC 50-60Hz 1.0A
- Battery Charger Output: DC21V 3A
- Ties Per Battery Cycle: Over 4500 Ties
- Accessories: Carry Case, Tool Belt Clip, Batteries, Battery Charger and Tie Wire Coils

Applications

- Concrete Slab Formwork
- Precast Product Formwork
- Concrete Foundation formwork

Additional Information

CODE41-RT-40AU.O.MEachTypeCordlessStyleHandheldEngine TypeBrushlessSuits SubstrateSteelPower Rating18vIncludesCarry case, belt clip, batteries, battery charger & tie wire coilsPackage Quantity1BrandRapidToolOverall Height300 mmCord TypeCordless		
Type Cordless Style Handheld Engine Type Brushless Suits Substrate Steel Power Rating 18v Includes Carry case, belt clip, batteries, battery charger & tie wire coils Package Quantity 1 Brand RapidTool Overall Height 300 mm	CODE	41-RT-40A
Style Handheld Engine Type Brushless Suits Substrate Steel Power Rating 18v Includes Carry case, belt clip, batteries, battery charger & tie wire coils Package Quantity 1 Brand RapidTool Overall Height 300 mm	U.O.M	Each
Engine TypeBrushlessSuits SubstrateSteelPower Rating18vIncludesCarry case, belt clip, batteries, battery charger & tie wire coilsPackage Quantity1BrandRapidToolOverall Height300 mm	Туре	Cordless
Suits Substrate Power Rating 18v Includes Carry case, belt clip, batteries, battery charger & tie wire coils Package Quantity 1 Brand RapidTool Overall Height 300 mm	Style	Handheld
Power Rating 18v Includes Carry case, belt clip, batteries, battery charger & tie wire coils Package Quantity 1 Brand RapidTool Overall Height 300 mm	Engine Type	Brushless
Includes Carry case, belt clip, batteries, battery charger & tie wire coils Package Quantity 1 RapidTool Overall Height 300 mm	Suits Substrate	Steel
Package Quantity Brand RapidTool Overall Height 300 mm	Power Rating	18v
Brand RapidTool Overall Height 300 mm	Includes	
Overall Height 300 mm	Package Quantity	1
	Brand	RapidTool
Cord Type Cordless	Overall Height	300 mm
	Cord Type	Cordless
Voltage Rating 18V	Voltage Rating	18V

