



SDS Max Drill Bits - 4 Cut

Product Images





Short Description

Milwaukee SDS-Max drill bits, sold individually in a wide range of sizes and dimensions.

Designed with a robust head geometry with an optimum $4 \times 90^{\circ}$ symmetry of carbide which reduces jamming on reinforcing steel. These drill bits also offer low vibration performance which reduces stress and operator fatigue.

Description

SDS MAX 4 Drill Bits

Milwaukee SDS-Max drill bits deliver faster drilling speeds, improved tool life and operator efficiency. The centring tip allows the user to have exact spot drilling and the breaker point pulverises hard materials,

leading to up to 20% faster-drilling speeds.

Features:

- Centring point with 130° point angle
- Easy spot drilling with pinpoint accuracy
- Curved cutting edge
- Shorter spiral windings for faster transport of drilling dust
- Unique carbide tip with extra carbide on ø > 32mm
- Wear mark on both sides of primary cutter
- Special surface treatment
- PGM Conformity: Guarantees precise holes for anchor fitting over the entire lifetime of the drill bit.

Ideal for:

• Heavy duty industrial masonry work

Additional Information

CODE	40-49323527-WP
U.O.M	Each
Colour	Silver
Style	SDS MAX
Features	4 cutter head drive bit
Suits Substrate	Brick, Cement, Concrete, Masonry, Rock
Brand	Milwaukee
Chuck Type	SDS MAX

Product Options

Dimensions:	12 x 540 mm
	12 x 340 mm
	14 x 540 mm
	14 x 340 mm
	16 x 540 mm
	16 x 340 mm
	18 x 340 mm
	18 x 540 mm
	20 x 920 mm
	20 x 320 mm
	20 x 520 mm
	22 x 520 mm
	22 x 320 mm
	24 x 320 mm
	24 x 520 mm
	25 x 520 mm
	25 x 320 mm
	28 x 370 mm
	28 x 520 mm
	30 x 370 mm
	30 x 570 mm
	32 x 370 mm
	32 x 570 mm
	35 x 370 mm
	35 x 570 mm
	38 x 370 mm
	38 x 570 mm
	40 x 370 mm
	40 x 570 mm

