

Vehicle Mount B Size Arrow Board 25 Lamp, Single Sided

Product Images



Short Description

Single Sided B Size vehicle mount LED Arrow board with 25 Lamps, Controller Module, Roof Mount Assembly and Hydraulic Actuator. Provides an ideal signalling solution for TMA trucks, crash cushion applications, emergency repair crews, convoys and more.

Description

This vehicle mounted arrow board provides high visibility at a low power consumption. Designed to handle the harsh Australian sun, it is a lightweight unit built tough to withstand everyday use.

Featuring 25 highly visible amber LED lights, it is designed for use during road works to denote left arrow, right arrow, double headed arrow and other patterns. Two optional dual flashing amber lights further promote safety and vehicle visibility (beacon mounting brackets are included however flashing side beacons are sold separately).

A single side-mounted hydraulic lift arm rises and lowers the unit. When lowered, the streamlined design allows for minimal wind resistance for increased safety, adding only 215 mm in height when folded down. When raised, the board measures 980 mm high.

This directional arrow board is high quality and designed and manufactured in an ISO9001 accredited facility to meet Australian requirements.

Features:

- Low profile - only 215 mm high when folded down
- Automatic dimming LED lamps
- High visibility from long distances
- Simple wiring connections between board and controller
- Aluminium black powder coated boards
- B Size Board Dimensions: 1500 mm wide x 770 mm high
- Complies to AS/NZ Standard AS4192 Illuminated Flashing Arrow Signs, MUTCD Compliance
- Suitable for mounting on trucks and work utes
- Power: 12V
- Single Sided configuration featuring 25 individual amber lamps
- Lamps and shrouds are easily replaceable if necessary
- Full range of spare parts available from Jaybro
- Unit weighs 45kg
- IP56 waterproof rating
- Wide range of flashing patterns and flash rates for different applications
- Energy efficient operation with low power dissipation

Additional Information

CODE	25-VMAB-25
U.O.M	Each
Brand	OPTraffic
Height	770 mm
Width	1500 mm
Class	B
Board Size	1500 mm x 770 mm
Screen Resolution	25 Lamps
Overall Height	770 mm
Maximum Deployed Height	980 mm
Colour	Amber
Display Format	Single Sided

