

# **Stainless Steel Hand Brake Material Rated Winch 18m Stainless Steel**



## Short Description

---

Stainless Steel Hand Brake Material Rated Winch, with female interface bracket with 18mm x 6mm stainless steel wire rope. Also available with galvanized rope. Compatible with davit bases and accessories from the Pro-3 range.

## Description

---

Stainless steel handbrake material rated winches have a compact design and require minimal operator effort. Made from 304 Stainless Steel with an ergonomic handle, they are ideal for winching material up to 140kg. The winch is supplied with 18m x 6mm 7x19 H.D.G Grade G2070 Wire rope, and a powdercoated self-locking hook. The fully enclosed gear train and double pawl safety feature ensure safety and longevity on site.

Compatible with davits from the Pro-3 range, this modular system enables you to select davits, bases, brackets and other accessories to build your own customised unit suitable for your application. Manufactured & Tested to AS/NZS5532-2013.

### Features:

- Compact design
- Rated Capacity: 140Kg (Lifting) in line with Man Rated Pro-3G Davit
- 5:1 gear ratio
- Very low operator effort required for easy operation
- Double pawl safety feature
- 304 Stainless steel construction
- Automatic weatherproof Weston brake
- Automatic load actuated breaking system - no free wheeling under load
- The plain winch bearings are made from bronze for additional corrosion resistance
- Ergonomic rubber handle
- Fully enclosed gear train
- Minimum handle effort to lift or pull W.L.L (Working Load Limit)
- Comes with 18m x 6mm Stainless Steel Wire rope
- Comes with 6mm Grade 80 Eye Swivel Self Locking Hook powder coated
- Quick Release Single Universal Interface Bracket c/w "T" locking pin & lanyard designed specifically to match BTS davit interface bracket

**Note:** Consult Operator / Use & Operating manual before use.

These winches are not designed for passenger elevation (i.e. Man Riding) and MUST NOT be used for that purpose.

AS1418.2 & BS EN 13157: 2004+A1:2009. Compliance and EC Declaration of Conformity only applies when correctly fitted with approved wire rope and fittings.

## Additional Information

---

CODE	33-SSJC-C820S
U.O.M	Each
Brand	BTS

