

Outdoor Dangerous Goods Storage Cabinet, 450L

Product Images





Short Description

Small storage cabinet suitable for holding 450 litres of flammable liquids, Class 4 dangerous goods, oxidizing agents, organic peroxides, toxic or corrosive substances when stored separately.

Description

This 450L unit is a dangerous goods outdoor storage cabinet, suitable for holding flammable liquids, Class 4 dangerous goods, oxidizing agents, organic peroxides, toxic or corrosive substances when stored separately. Purpose-built for outdoor storage, this DG cabinet is constructed of heavy duty single walled galvanized steel and features a heavy duty galvanised steel adjustable shelf, manual closing doors with ISO two-point latching bar and rubber door seals for added weather protection.

This cabinet comes complete with fully compliant warning placards and signage, and has forklift channels for ease of moving by forklift.

Features:

- Suitable for Flammable Liquids, Class 4 Dangerous Goods, Oxidizing Agents, Organic Peroxides, Toxic or

Corrosive Substances when stored separately

- Constructed of heavy duty single walled galvanised steel
- Doors and rear panel incorporate weatherproof louvered constant ventilation
- 2 x Manual closing doors with ISO two-point latching bar
- Provision for padlock for added security
- Rubber door seal for added weather protection
- Two heavy duty door hinges allowing 180° and 270° openings to aid loading and unloading
- Fixed heavy duty open mesh bottom shelves
- 4 x heavy duty galvanised steel adjustable shelves
- Can be converted to store 2 x 205L drums by removing the adjustable shelves
- External static earthing connection point at base of cabinet and including metal earthing stake with connecting earthing wire
- Durable weather and solvent resistant blue powder coated paint finish, both internal and external
- 150mm deep liquid tight sump for spill collection
- Front accessible removal sump plug for drainage
- 4 x heavy duty lifting lugs
- Heavy duty foot plates with provision for bolting to concrete footing
- Forklift channels for ease of moving by forklift
- Palletised and packaged in strong cardboard for protection during transportation and storage
- Appropriate labelling applied

Specifications:

- Capacity: 450L
- Doors: 2
- Shelves: 6 (Inc. Base Level)

Additional Information

| | |
|-------|-----------|
| CODE | 64-POD450 |
| U.O.M | Each |

