


# RMS DI 914 x 914 Inspection Pit Cover and Frame

## Product Images



## Short Description

---

Class D Ductile Iron Inspection Pit Cover and Frame. Designed and manufactured in accordance with RMS Specification R0220-35 Inspection Pit with Single Cast Iron Frame and Cover. 914 x 914 size.

## Description

---

This ductile iron inspection pit cover and frame is designed to allow easy access for maintenance crews. The heavy duty frame is designed to be cast into a concrete slab in the tank or above the pit, and the cover is filled with concrete, making the pit or tank sealed against gas, air and water ingress. Manufactured and tested to meet Australian Standard AS3996.2019 Access Covers and Grates, this range of covers is available rated to Class D.

Class D loading is typically for carriageways of roads and areas open to commercial vehicles (heavy duty). Class D classified products have a nominal wheel loading of 8000 kg, a serviceability design load of 140kN and an ultimate limit state design load of 210kN.

**Specifications:**

- Class D Heavy Duty
- Tested to AS3996.2019
- Inside measurement 914mm x 914mm
- Outside measurement 1066mm x 1024mm
- Bolt down, bicycle safe
- Designed and manufactured as per RMS Specification R0220-35 Inspection Pit with Single or Double Cast Iron Frame and Cover
- Gas, air and water tight
- Coated in bituminous compound

## Additional Information

---

CODE	INDICF1919D
U.O.M	Each
Weight	20
Type	Class D

