


RMS DI 914 x 1295 Inspection Pit Cover and Frame, Double

Product Images



Short Description

Class D Ductile Iron Double Inspection Pit Cover and Frame. Designed and manufactured in accordance with RMS Specification R0220-35 Inspection Pit with Double Cast Iron Frame and Cover. 914 x 1295 size.

Indicative image only.

Description

Jaybro's range of ductile iron inspection pit covers and frames are designed to allow easy access for maintenance crews. The heavy duty frame is designed to be cast into a concrete slab in the tank or above the pit, and the cover is filled with concrete, making the pit or tank sealed against gas, air and water ingress. Manufactured and tested to meet Australian Standard AS3996.2019 Access Covers and Grates, this range of covers is available rated to Class D.

Class D loading is typically for carriageways of roads and areas open to commercial vehicles (heavy duty). Class D classified products have a nominal wheel loading of 8000 kg, a serviceability design load of 140kN and an ultimate limit state design load of 210kN.

Specifications:

- Class D Heavy Duty
- Tested to AS3996.2019
- Inside measurement 914mm x 1295mm
- Outside measurement 1066mm x 1405mm
- Bolt down, bicycle safe
- Designed and manufactured as per RMS Specification R0220-35 Inspection Pit with Single or Double Cast Iron Frame and Cover
- Gas, air and water tight
- Coated in bituminous compound
- Double style

Additional Information

CODE	INDICF0912D-DB
U.O.M	Each
Weight	250
Type	Class D

