

# Soppec Purple Spot Marking Paint 500ml

## **Product Images**



## **Short Description**

Soppec Fluoro Purple Spot Marking Paint 500mL - Deluxe spot marker paint in yellow, ideal for marking out construction sites. Other applications include landscaping, identification of hazards & dangers, surveying, sports fields, and more. Ideal for use on most surfaces including concrete, grass, stone, gravel, sand, and timber.

### **Description**

Soppec ProMarker purple spray paint is the most visible and purple spray paint on the market. It is particularly popular with surveyors for identification marking and setting-out. For all general civil engineering works: highways, earthworks, pipework and construction, buried networks.

This purple spray paint is easy and safe to use and fitted with a patented safety spray cap.

- Usable on a very wide range of surfaces such as: concrete, asphalt, grass, gravel, sand, stone, wood.
- A particularly robust safety cap (no breakage if a full aerosol is dropped from a height of 1.5m)
- High marking duration including on damp surfaces
- Lasts up to 12 months. (\*dependent on the surface, the conditions of application and UV exposure).
- Temperature range: -20°C to 50°C.
- Rapid drying
- Size: 500ml
- Carton Qty: 12
- Pallet Qty: 1200

#### What makes Soppec paint different?

#### CARCINOGEN FREE FORMULA

- The only paint that does not contain carcinogenic, mutagenic, or toxic components for reproduction
- Designed without CMR compounds (carcinogenic, mutagenic and toxic) to reproduction substances of class 1A, 1B & 2 above 0.1%.
- Without Hexane and methanol, toluene and xylene Pigments are mineral and organic, free from heavy metals
- QSE Certified: ISO 9001 certifications for Quality, ISO 14001 for the Environment and OHSAS 18001 for Health and Safety

PATENTED SAFETY 'TP' CAPS

- Features a patented lockable robust safety cap ensures the paint will not leak or release gas and eliminates accidental tripping during transport or handling
- Being the strongest safety cap on the market, it can withstand a direct impact, being dropped from a height of 1.5 metres on asphalt and remain intact
- The design of the cap provides protection on the user's hand from paint projections when being sprayed.

# **Additional Information**

CODE	28-480SPPL
Weight	0.5
Swatch	no_selection

